

# Sreechem Resins Limited

REGD. OFFICE & WORKS - I: JHAGARPUR, POST - RAJGANGPUR-770017, ODISHA, INDIA PHONE: (06624) 211943, E.MAIL: sreechem.rajgangpur@rediffmail.com CIN-L24222OR1988PLC002739

## MATERIAL SAFETY DATA SHEET

### BLACK COAT (WS)

SECTION 1:

CHEMICAL IDENTIFICATION ... SYNTHETIC WATER BASED

ACRYLIC COATING

TRADE NAME

: BLACK COAT (WS)

CHEMICAL FORMULATION: Surface coating

Formulation.

SECTION 2:

COMPOSITION/INFORMATION ON INGREDIENTS: Pigmented Acrylic

Resin with mineral

Loading.

SECTION 3:

HAZARD IDENTIFICATION: Non-hazardous & Non-polluting

SECTION 4:

FIRST AID MEASURES

1. SKIN - May cause slight irritation on prolonged contact. Remove contaminated clothing immediately. Wash skin with soap and water.

EYE CONTACT - May cause irritation. Immediately flush with Water and consult a Physician.

3. INHALTION - May be irritating on deep repeated inhalation. Come out of the room and inhale fresh air.

SECTION 6:

ACCIDENTAL RELEASE MEASURES

1. LARGE SPILL - Prevent the Spilt Liquid from spreading by use of sand or earth. Then remove it to a safe area for disposal by burning or burying.

2. SMALL SPILL - Absorb the spilt liquid with sand or earth and place in closed container for disposal.

SECTION 7:

HANDLING AND STORAGE

Handling - Utilize recommended protective equipment.

Storage - Keep away from heat & open flame. Keep container closed & store under the shed.

KOLKATA OFFICE: 23A, NETAJI SUBHAS ROAD, 11TH FLOOR, ROOM # .- 11, KOLKATA - 700001, INDIA PHONE: 91-33-2231 3149 / 4432, FAX: 91-33-2231 3164, E.MAIL: sreechem@cal2.vsnl.net.in / sreechem.kol@gmail.com WORKS - II: DURRAMUDA, RAIGARH-496004, CHHATTISGARH, INDIA, E.MAIL: srl.rgh@gmail.com

VISIT US AT www.sreechem.in



## **Sreechem Resins Limited**

AN ISO 9001: 2008 CERTIFIED COMPANY

REGD. OFFICE & WORKS - I: JHAGARPUR , POST - RAJGANGPUR-770017, ODISHA , INDIA PHONE : (06624) 211943 , E.MAIL : sreechem.rajgangpur@rediffmail.com CIN-L24222OR1988PLC002739

SECTION 8:

EXPOPSURE CONTROLS/PERSONAL PROTECTION

1. RESPIRATORY PROTECTION - Use nose mask.

2. EYE PROTECTION - Use chemical safety goggles.

3. SKIN PROTECTION - Use chemical resistant gloves.

4. BODY PROTECTION - Avoid prolonged or repeated

contacts.

SECTION 9:

PHYSICAL AND CHEMICAL PROPERTIES

SOLUBILITY IN WATER - Soluble.

APPEARANCE - Pigmented liquid in Black colour.

ODOUR - Aromatic odour

MELTING POINT - Free flowing liquid at 25°C.

BOILING: > 100°C.

DENSITY: 1.10 - 1.30 gm/cc

SECTION 10:

STABILITY AND REACTIVITY- Stable under normal condition.

CHEMICAL INCOMPABILITY: N/A

HAZARDOUS POLYMERISATION : Does not occur.

OXIDISER

: No

CORROSIVE METAL

: No

SECTION 11:

TOXICOLOGICAL INFORMATION.

TOXIC/NON-TOXIC: Non - toxic.

SECTION 12:

ECOLOGICAL INFORMATION - Does not damage environment.

SECTION 13:

DISPOSAL CONSIDERATION - Burn in open space with air circulation & bury in accordance with State Regulation.





## sins Limited Sreechem Resins

REGD. OFFICE & WORKS - 1: JHAGARPUR , POST - RAJGANGPUR-770017, ODISHA , INDIA PHONE: (06624) 211943, E.MAIL: sreechem.rajgangpur@rediffmail.com CIN-L24222OR1988PLC002739

SECTION 14:

TRANSPORT INFORMATION - Non-hazardous

SECTION 15:

REGULATORY INFORMATION- Non-hazardous.

### Details of the Company

Name of the firm

Sreechem Resins Limited,

Mailing Address

JJJ-7, Civil Township,

Rourkela - 769 004

Odísha, India.

Telephone No.

91-06624-211943, 033-22313149/4432

Website

www.sreechem.in

Email address

sreechem@cal2.vsnl.net.in

sreechem.rajgangpur@rediffmail.com

#### Other Information

The information contained herein is true to the best of our knowledge. However, we are not responsible or liable whatsoever for any inaccuracy. Final determination of suitability rests on the user. The material may have some unknown hazards and should be used with caution. Although, certain hazards are described herein, we can not give guarantee that these are the only hazards that exist.

For SREECHEM RESINS LIMITED For SHREECHEM RESINS LIMITED

GFR QUALITY CONTROL (MANAGER, QUALITY CONTROL)