

Sreechem Resins Limited

AN ISO 9001: 2008 CERTIFIED COMPANY

REGD. OFFICE & WORKS - I: JHAGARPUR, POST - RAJGANGPUR-770017, ODISHA, INDIA PHONE: (06624) 211943, E.MAIL: sreechem.rajgangpur@rediffmail.com

MATERIAL SAFETY DATA SHEET

WHITE KNIGHT - ECOTOUCH

SECTION 1:

CHEMICAL IDENTIFICATION ... SYNTHETIC ACRYLIC

COATINGS

TRADE NAME

WHITE KNIGHT - ECOTOUCH

CHEMICAL FORMULATION:

Surface coating

Formulation.

SECTION 2:

COMPOSITION/INFORMATION ON INGREDIENTS: Pigmented Acrylic

Resin with mineral

Loading.

SECTION 3:

HAZARD IDENTIFICATION: Non-hazardous & Non-polluting

SECTION 4:

FIRST AID MEASURES

 SKIN - May cause slight irritation on prolonged contact. Remove contaminated clothing immediately. Wash skin with soap and water.

2. EYE CONTACT - May cause irritation. Immediately flush with

Water and consult a Physician.

3. INHALTION - May be irritating on deep repeated inhalation. Come

out of the room and inhale fresh air.

SECTION 6:

ACCIDENTAL RELEASE MEASURES

 LARGE SPILL - Prevent the Spilt Liquid from spreading by use of sand or earth. Then remove it to a safe area for disposal by burning or burying.

2. SMALL SPILL - Absorb the spilt liquid with sand or earth and place

in closed container for disposal.

SECTION 7:

HANDLING AND STORAGE

1. Handling - Utilize recommended protective equipment.

 Storage - Keep away from heat & open flame. Keep container closed & store under the shed.





Sreechem Resins Limited

SECO DIO NORKS-I: JHAGARPURX BOSIS BAYGANG PUR 7770017, ODISHA, INDIA PHONE: (06624) 211943 E MAIL STREETHEM LAFGANG PUR PROTECTION CIN-L24222 OR 1 PERS PIRATEORY PROTECTION — Use nose mask.

- 2. EYE PROTECTION Use chemical safety goggles.
- 3. SKIN PROTECTION Use chemical resistant gloves. 4. BODY PROTECTION - Avoid prolonged or repeated

SECTION 9:

PHYSICAL AND CHEMICAL PROPERTIES

SOLUBILITY IN WATER - Soluble.

APPEARANCE - Pigmented liquid in white colour.

ODOUR - Aromatic odour

MELTING POINT - Free flowing liquid at 25°C.

BOILING: >100°C.

DENSITY: 1.10 - 1.30 gm/cc

SECTION 10:

STABILITY AND REACTIVITY- Stable under normal condition.

CHEMICAL INCOMPABILITY: N/A

HAZARDOUS POLYMERISATION : Does not occur.

OXIDISER

: No

CORROSIVE METAL

: No

SECTION 11:

TOXICOLOGICAL INFORMATION.

TOXIC/NON-TOXIC: Non - toxic.

SECTION 12:

ECOLOGICAL INFORMATION - Does not damage environment.

SECTION 13:

DISPOSAL CONSIDERATION - Burn in open space with air circulation & bury in accordance with State Regulation.

SECTION 14:

TRANSPORT INFORMATION - Non-hazardous

SECTION 15:

REGULATORY INFORMATION- Non-hazardous.



Sreechem Resins Limited

REGD. OFFICE & WORKS - 1: JHAGARPUR , POST - RAJGANGPUR-770017, ODISHA , INDIA

PHONE: (06624) 211943, E.MAIL: sreechem.rajgangpur@rediffmail.com

Details of the Company220R1988PLC002739

Name of the firm

Sreechem Resins Limited,

Mailing Address

JJJ-7, Civil Township,

Rourkela - 769 004

Odisha, India.

Telephone No. Website

91-06624-211943, 033-22313149/4432

www.sreechem.in

Email address

sreechem@cal2.vsnl.net.in

sreechem.rajgangpur@rediffmail.com

Other Information

The information contained herein is true to the best of our knowledge. However, we are not responsible or liable whatsoever for any inaccuracy. Final determination of suitability rests on the user. The material may have some unknown hazards and should be used with caution. Although, certain hazards are described herein, we can not give guarantee that these are the only hazards that exist.

For SREECHEM RESINS LIMITED

For SHREECHEM RESINS LIMITED

Mahanta MANAGER QUALITY CONTROL (MANAGER, QUALITY CONTROL)

KOLKATA OFFICE: 23A, NETAJI SUBHAS ROAD, 11TH FLOOR, ROOM # .- 11, KOLKATA - 700001, INDIA PHONE: 91-33-2231 3149 / 4432, FAX: 91-33-2231 3164, E.MAIL: sreechem@cal2.vsnl.net.in / sreechem.kol@gmail.com WORKS - II: DURRAMUDA, RAIGARH-496004, CHHATTISGARH, INDIA, E.MAIL: srl.rgh@gmail.com